

Features

- Solid brass rough-in valve included.
- 6" rain shower head.
- 2-way concealed diverter (2 water outlets).
- Pressure balance cartridge.
- Ceramic disc technology.
- 4-function hand shower.
- Hand shower mounting bracket included.
- 1/2" NPT inlets and outlets (compatible with US plumbing connections)

Installation

Wall mounted installation.

Included Pieces

- Shower arm with flange. (Remer 342US-CR)
- 6" shower head. (Remer 354PL)
- 2-way shower diverter with rough-in valve. (Remer K09US-CR)
- 4-function htand shower. (Remer 318DK)
- Flexible shower hose. (Remer 333CNX150-CR)
- Water connection. (Remer 309LUS-CR)
- Shower mounting bracket. (Remer 339SO-CR)




Nameek's One-Year Limited Warranty

See website for warranty information details.

Color/Finish Details


Color Code Description

CR Polished Chrome




Shower Arm

Remer 342US-CR



Rain Shower Head


Remer 354PL



USA/Canada: 215.256.4197


Shower Valve (Trim + Rough-in Valve)

Remer K09-CR




Hand Shower

Remer 318DK




Shower Hose

Remer 333CNX150-CR




Water Connection

Remer 309LUS-CR



Shower Bracket

Remer 339SO-CR





Technical Information

Shower head size: 6.30"

Shower head type: Rain

Pivoting shower head: Yes

Shower arm length: 5.12"

Rough-in included: Yes

Material: Brass

ABS

Cartridge type: Pressure balance

Ceramic disc technology

Hand shower functions: Wide

Massage Vigorous Aerated spray

Notes

This item is recommended to be installed by a licensed plumber or professional only. Please ensure to observe all local and building code requirements. Shut off water supply prior to installation.

Includes mounting hardware.

USA/Canada: 215.256.4197